Filed: February 10, 2004

Confirmation No.: 1049

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listing of claims in the application.

## Listing of Claims:

Claim 1 (Currently Amended) An anhydrous antiperspirant composition comprising

- a) from 0.5 to 50% by weight of a particulate aluminium and/or aluminium/zirconium antiperspirant active;
- b) from 30 to 95% by weight of a water-immiscible carrier fluid or mixture of fluids:
- optionally up to 40% by weight of a thickener, gellant or structurant for the carrier fluid;

in which the carrier fluid comprises an aryl substituted siloxane which satisfies the general formula 1

R<sup>1</sup>R<sup>A</sup><sub>2</sub>Si-O-[-SiR<sup>2</sup>R<sup>A</sup>-O]<sub>n</sub>-SiR<sup>3</sup>R<sup>A</sup><sub>2</sub> in which:

n represents an average number of from 0 to 2;
R <sup>1</sup> R <sup>2</sup> and R <sup>3</sup> , which may be the same as or different from each other, each
represents:
(a) a group R <sup>4</sup> of formula
CH <sub>2</sub> -C(Ph)(R <sup>B</sup> )-R <sup>5</sup> -Ph
in which R <sup>B</sup> represents H or −CH <sub>3</sub> and R <sup>5</sup> represents an alkylene group
containing from 0 to 3 carbon atoms, optionally branched or
(b) optionally, a capping group R <sup>C</sup> which represents the hydrogenated
residue of a substituted vinyl group other than R4 or a residue of an
aliphatic alcohol, a cycloaliphatic alcohol or an aralkyl alcohol,

Filed: February 10, 2004

Confirmation No.: 1049

with the proviso that not more than 20% of the total occurrences of R<sup>1</sup>, R<sup>2</sup>
and R<sup>3</sup> are R<sup>C</sup>,
and not more than one of R<sup>1</sup> R<sup>2</sup> and R<sup>3</sup> can optionally represent R<sup>C</sup>, namely the
hydrogenated residue of a substituted vinyl group other than R<sup>4</sup> or a residue of an
aliphatic alcohol, a cycloaliphatic alcohol or an aralkyl alcohol
and R<sup>A</sup> represents a C<sub>1</sub> to C<sub>4</sub> alkyl group

provided that at least 60% of carbon atoms in total in substituents  $R^A$   $R^4$  and  $R^C$  are present in aryl groups.

Claim 2 (Original) A composition according to claim 1 in which  ${\sf R}^4$  represent diphenylethyl.

Claim 3 (Withdrawn) A composition according to claim 1 in which  $R^4$  represent a mixture of diphenylethyl and the hydrogenated residue of  $\alpha$ -methylstyrene dimer.

Claim 4 (Currently Amended) A composition according to claim 31 in which en wherein at least 80% of the total occurrences of  $R^1$ ,  $R^2$  and  $R^3$  represents are diphenylethyl and up to 20% of its the total occurrences of  $R^1$ ,  $R^2$  and  $R^3$  represents are the residue of  $\alpha$  methylstyrene dimer.

Claim 5 (Withdrawn) A composition according to claim 1 in which  $R^{\text{C}}$  represents a residue of benzyl alcohol or allyloxy ethanol.

Claim 6 (Currently Amended) A composition according to claim 1 in—whiteh—the diphenylethyl-group-is-present in at least 85% of the <u>total\_occurrences</u> of  $\Re R^1$ ,  $R^2$ , and  $R^3$  are diphenylethyl.

Filed: February 10, 2004

Confirmation No.: 1049

Claim 7 (Previously Presented) A composition according to claim 1 in which n is from 0 to 1.5.

Claim 8 (Previously Presented) A composition according to claim 1 in which n is 0.

Claim 9 (Withdrawn) A composition according to claim 5 in which the proportion of diphenylethyl group is from 85 to 90%.

Claim 10 (Withdrawn) A composition according to claim 1 in which R<sup>4</sup> represents the residue of  $\alpha$ -methylstyrene dimer.

Claim 11 (Withdrawn) A composition according to claim 10 in which n in the formula is 1 ±/-0.2.

Claim 12 (Previously Presented) A composition according to claim 1 in which the aryl substituted siloxane comprises at least 50% by weight of the carrier fluid or mixture of fluids.

Claim 13 (Withdrawn) A composition according to claim 12 in which the aryl substituted carrier fluid comprises from 60 to 90% by weight of the mixture of carrier fluids.

Claim 14 (Withdrawn) A composition according to claim 1 in which the mixture of carrier fluids comprises one or more water-immiscible fluids selected from volatile polycyclomethicone or linear polymethicone oils, non-volatile polymethicone oils, liquid branched aliphatic alcohol, liquid alkyl benzoate esters and liquid polyalkylene glycol ethers.

Filed: February 10, 2004

Confirmation No.: 1049

Claim 15 (Withdrawn) A composition according to claim 14 in which the carrier mixture comprises the aryl substituted siloxane fluid and the liquid branched aliphatic alcohol in a weight ratio of from 6:1 to 2:1.

Claim 16 (Previously Presented) A composition according to claim 1 in which the carrier fluid and suspended antiperspirant active have refractive index matching within 0.005 units.

Claim 17 (Withdrawn) A composition according to daim 1 in which the antiperspirant active is selected from aluminium chlorohydrate or activated aluminium chlorohydrate.

Claim 18 (Previously Presented) A composition according to claim 1 in which the antiperspirant active is selected from aluminium/zirconium chlorohydrate and complexes of aluminium/zirconium chlorohydrate with an amino acid.

Claim 19 (Original) A composition according to claim 18 in which the antiperspirant active is a complex of aluminium/zirconium chlorohydrate and glycine.

Claim 20 (Previously Presented) A composition according to claim 1 in which the carrier fluid is thickened or solidified with an effective amount of a structurant comprising a silicone-oil-soluble polymeric gellant or non-polymeric fibre-forming gellant.

Claim 21 (Withdrawn) A composition according to claim 20 in which the polymeric gellant comprises a polyalkylene, a polyalkylene/polyarylene block copolymer a polyamide or a polyamide/polysiloxane copolymer.

Attorney Docket No.: J3711(C)

Serial No.: 10/775,510

Filed: February 10, 2004

Confirmation No.: 1049

Claim 22 (Original) A composition according to claim 20 in which the non-polymeric fibre-forming gellant is selected from cellobiose esters, lanosterol, a combination of a sterol and a sterol ester, hydroxystearic acid, N-acyl amino acid amides and esters, diamido derivatives of cyclohexane, amido derivatives of aliphatic di or tri-carboxylic acids, and cyclic derivatives of aspartame.

Claim 23 (Previously Presented) A composition according to claim 1 in which the proportion of structurant is selected in the range of from 2 to 15% by weight.

Claim 24 (Previously Presented) A composition according to claim 1 in which the composition has a hardness of at least 0.003 N/mm² by sphere indentation.